



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: 1500 BUREAU OF INVESTIGATION FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,838	05/04/2010	7709497	PB60771	1063

20462 7590 04/14/2010
GlaxoSmithKline
GLOBAL PATENTS -US, UW2220
P. O. BOX 1539
KING OF PRUSSIA, PA 19406-0939

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) (application filed on or after May 29, 2000)

The Patent Term Adjustment is 112 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (<http://pair.uspto.gov>).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site <http://pair.uspto.gov> for additional applicants):

Siegfried Benjamin Christensen IV, Collegeville, PA;
Caroline Mary Cook, Hertfordshire, UNITED KINGDOM;
Christopher David Edlin, Hertfordshire, UNITED KINGDOM;
Martin Redpath Johnson, Hertfordshire, UNITED KINGDOM;
Paul Spencer Jones, Hertfordshire, UNITED KINGDOM;
Mika Kristian Lindvall, Emeryville, CA;
Amyn Pyarali Sayani, Mississauga, ON, CANADA;
Naimisha Trivedi, Hertfordshire, UNITED KINGDOM;
Lionel Trottet, Les Ulis, FRANCE;